



| Instruments | |
|-------------|---------------------|
| | 19° Source Four |
| | 26° Source Four |
| | 36° Source Four |
| | Source Four PAR WFL |
| | ET Fiss |
| | 49 Pup |
| | 50° Source Four |
| Practical | |
| | Accessor |
| | Tempore |
| Legend | |
| | Light Plot |

Les Misérables
LIGHT PLOT
 DIRECTOR: Michael Howard
 SCENIC DESIGNER: Rick Paul
 LIGHTING DESIGNER: Diane K. Boco
 SCALE: 1/2" = 1' - 0"
 DATE: 1/14/2014
 DRAWN BY: [Signature]

| Channel | Dimmer | Inst Type | Watt | Purpose | Position | Unit Number | Color |
|---------|--------|---------------------|------|-----------|----------------|-------------|-------|
| 1 | 13 | 19° Source Four | 575 | DL Front | FOH Upper Pipe | 1 | R53 |
| 2 | 11 | 19° Source Four | 575 | DLC Front | FOH Upper Pipe | 3 | R53 |
| 3 | 8 | 19° Source Four | 575 | DC Front | FOH Upper Pipe | 6 | R53 |
| 4 | 3 | 19° Source Four | 575 | DCR Front | FOH Upper Pipe | 8 | R53 |
| 5 | 1 | 19° Source Four | 575 | DR Front | FOH Upper Pipe | 10 | R53 |
| 6 | 14 | 19° Source Four | 575 | L Front | FOH Lower Pipe | 1 | R53 |
| 7 | 12 | 19° Source Four | 575 | CR Front | FOH Lower Pipe | 2 | R53 |
| 8 | 7 | 19° Source Four | 575 | C Front | FOH Lower Pipe | 3 | R53 |
| 9 | 5 | 19° Source Four | 575 | CL Front | FOH Lower Pipe | 4 | R53 |
| 10 | 4 | 19° Source Four | 575 | R Front | FOH Lower Pipe | 5 | R53 |
| | | | | | | | |
| 21 | 66 | Source Four PAR WFL | 750 | DL Bx Red | 2nd Electric | 8 | R26 |
| 21 | 66 | Source Four PAR WFL | 750 | DL Bx Red | 2nd Electric | 4 | R26 |
| 22 | 61 | Source Four PAR WFL | 750 | DC Bx Red | 2nd Electric | 12 | R26 |
| 23 | 53 | Source Four PAR | 750 | DR Bx Red | 2nd Electric | 16 | R26 |
| 23 | 53 | Source Four PAR | 750 | DR Bx Red | 2nd Electric | 20 | R26 |
| 24 | 99 | Source Four PAR WFL | 750 | UL Bx Red | 4th Electric | 1 | R26 |
| 25 | 80 | Source Four PAR WFL | 750 | UC Bx Red | 4th Electric | 4 | R26 |
| 26 | 88 | Source Four PAR WFL | 750 | UR Bx Red | 4th Electric | 7 | R26 |
| | | | | | | | |
| 31 | 65 | Source Four PAR WFL | 750 | DL Bx N/C | 2nd Electric | 9 | N/C |
| 31 | 65 | Source Four PAR WFL | 750 | DL Bx N/C | 2nd Electric | 5 | N/C |
| 32 | 56 | Source Four PAR WFL | 750 | DC Bx N/C | 2nd Electric | 13 | N/C |
| 33 | 60 | Source Four | 750 | DR Bx N/C | 2nd Electric | 17 | N/C |
| 33 | 60 | Source Four | 750 | DR Bx N/C | 2nd Electric | 21 | N/C |
| 34 | 98 | Source Four PAR WFL | 750 | UL Bx N/C | 4th Electric | 2 | N/C |
| 35 | 79 | Source Four PAR WFL | 750 | UC Bx N/C | 4th Electric | 5 | N/C |

Les Miserables

Diane K Baas

Channel Hookup

2

| | | | | | | | |
|----|-----|---------------------|-------|--------------|--------------|----|------|
| 36 | 87 | Source Four PAR WFL | 750 | UR Bx N/C | 4th Electric | 8 | N/C |
| 41 | 63 | Source Four PAR WFL | 750 | DL Bx Blue | 2nd Electric | 10 | - |
| 41 | 63 | Source Four PAR WFL | 750 | DL Bx Blue | 2nd Electric | 6 | - |
| 42 | 55 | Source Four PAR WFL | 750 | DC Bx Blue | 2nd Electric | 14 | R80 |
| 43 | 59 | Source Four PAR | 750 | DR Bx Blue | 2nd Electric | 18 | R80 |
| 43 | 59 | Source Four PAR | 750 | DR Bx Blue | 2nd Electric | 22 | R80 |
| 44 | 97 | Source Four PAR WFL | 750 | UL Bx Blue | 4th Electric | 3 | R80 |
| 45 | 77 | Source Four PAR WFL | 750 | UC Bx Blue | 4th Electric | 6 | R80 |
| 46 | 86 | Source Four PAR WFL | 750 | UR Bx Blue | 4th Electric | 9 | R80 |
| 51 | 31 | 6" Fres | 750 W | Top W L | Apron Pipe | 2 | R08 |
| 52 | 27 | 6" Fres | 750 W | Top W C | Apron Pipe | 6 | R08 |
| 53 | 21 | 6" Fres | 750 W | Top W R | Apron Pipe | 11 | R08 |
| 54 | 30 | 6" Fres | 750 W | Top C L | Apron Pipe | 3 | L202 |
| 55 | 18 | 6" Fres | 750 W | Top C C | Apron Pipe | 8 | L202 |
| 56 | 22 | 6" Fres | 750 W | Top C R | Apron Pipe | 12 | L202 |
| 61 | 34 | 36° Source Four | 575 | SL W Side DR | HR Box Boom | 3 | R304 |
| 61 | 34 | 36° Source Four | 575 | SL W Side DL | HR Box Boom | 7 | R304 |
| 62 | 52 | 36° Source Four | 575 | SL W Side L | 1st Electric | 1 | R304 |
| 63 | 50 | 36° Source Four | 575 | SL W Side R | 1st Electric | 3 | R304 |
| 64 | 68 | 36° Source Four | 575 | SL W Side | 2nd Electric | 1 | R304 |
| 65 | 24 | 36° Source Four | 575 | SR W Side DL | HL Box Boom | 3 | R304 |
| 65 | 24 | 36° Source Four | 575 | SR W Side DR | HL Box Boom | 7 | R304 |
| 66 | 38 | 36° Source Four | 575 | SR W Side L | 1st Electric | 16 | R304 |
| 67 | 103 | 36° Source Four | 575 | SR W Side R | 1st Electric | 18 | R304 |
| 68 | 58 | 36° Source Four | 575 | SR W Side | 2nd Electric | 25 | R304 |
| 71 | 33 | 36° Source Four | 575 | SL C Side DR | HR Box Boom | 1 | L201 |

Les Miserables

Diane K Baas

| Channel Hookup | | | | | | | |
|----------------|-----|-----------------|-----|-----------------|--------------|----|------|
| 71 | 33 | 36° Source Four | 575 | SL C Side DL | HR Box Boom | 4 | L201 |
| 72 | 51 | 36° Source Four | 575 | SL C Side L | 1st Electric | 2 | L201 |
| 73 | 49 | 36° Source Four | 575 | SL C Side R | 1st Electric | 4 | L201 |
| 74 | 67 | 36° Source Four | 575 | SL C Side | 2nd Electric | 2 | L201 |
| 75 | 25 | 36° Source Four | 575 | SR C Side DL | HL Box Boom | 1 | L201 |
| 75 | 25 | 36° Source Four | 575 | SR C Side DR | HL Box Boom | 4 | L201 |
| 76 | 39 | 36° Source Four | 575 | SR C Side L | 1st Electric | 15 | L201 |
| 77 | 37 | 36° Source Four | 575 | SR C Side R | 1st Electric | 17 | L201 |
| 78 | 57 | 36° Source Four | 575 | SR C Side US | 2nd Electric | 24 | L201 |
| 81 | 136 | 50° Source Four | - | SL Lo Side C | - | - | L200 |
| 81 | 136 | 50° Source Four | - | SL Lo Side C | - | - | L200 |
| 82 | 106 | 50° Source Four | - | SL Lo Side C US | - | - | L200 |
| 83 | 131 | 50° Source Four | - | SR Lo Side C | - | - | L200 |
| 83 | 131 | 50° Source Four | - | SR Lo Side C | - | - | L200 |
| 84 | 105 | 50° Source Four | - | SR Lo Side C US | - | - | L200 |
| 85 | 135 | 50° Source Four | - | SL Lo Side W | - | - | R321 |
| 86 | 108 | 50° Source Four | - | SL Lo Side W US | - | - | R321 |
| 87 | 130 | 50° Source Four | - | SR Lo Side W | - | - | R321 |
| 88 | 107 | 50° Source Four | - | SR Lo Side W US | - | - | R321 |
| 89 | 147 | 26° Source Four | 575 | SL Door Bx | SL Boom #2 | 1 | L241 |
| 90 | 141 | 26° Source Four | - | SR Door Bx | SR Boom #1 | 1 | L241 |
| 91 | 35 | 50° Source Four | 575 | SL Template DL | HR Box Boom | 5 | N/C |
| 92 | 26 | 50° Source Four | 575 | SR Template DR | HL Box Boom | 2 | N/C |
| 93 | 82 | 50° Source Four | 575 | Template Bx US | #3 Electric | 6 | N/C |
| 94 | 72 | 50° Source Four | 575 | Template Bx US | #3 Electric | 7 | N/C |
| 95 | 62 | 26° Source Four | 575 | DR Template Bx | 2nd Electric | 11 | N/C |
| 95 | 64 | 26° Source Four | 575 | DR Template Bx | 2nd Electric | 7 | N/C |

Les Miserables

Diane K Baas

| | | | | Channel Hookup | | | |
|-----|---------|-----------------|-----|--------------------------|----------------|----|-----|
| 96 | 54 | 26° Source Four | 575 | DL Template Bx | 2nd Electric | 19 | N/C |
| 96 | 54 | 26° Source Four | 575 | DL Template Bx | 2nd Electric | 15 | N/C |
| | | | | | | | |
| 97 | 111 | 36° Source Four | 575 | Sewer Grate Pools | st Electric | 9 | R87 |
| 97 | 111 | 36° Source Four | 575 | Sewer Grate Pools | st Electric | 6 | R87 |
| 97 | 111 | 36° Source Four | 575 | Sewer Grate Pools | st Electric | 13 | R87 |
| | | | | | | | |
| 99 | 112 | Hazer | | HAZER | FLY RAIL | | |
| 100 | 187-192 | HOUSE | | HOUSE | HOUSE | | |
| | | | | | | | |
| 101 | 15 | 19° Source Four | 575 | DL Spec | FOH Upper Pipe | 2 | N/C |
| 102 | 10 | 19° Source Four | 575 | DCL Spec | FOH Upper Pipe | 4 | N/C |
| 103 | 9 | 19° Source Four | 575 | DC Spec | FOH Upper Pipe | 5 | N/C |
| 104 | 6 | 19° Source Four | 575 | DCR Spec | FOH Upper Pipe | 7 | N/C |
| 105 | 2 | 19° Source Four | 575 | DR Spec | FOH Upper Pipe | 9 | N/C |
| | | | | | | | |
| 106 | 29 | 50° Source Four | 575 | SL Plat Spec | Apron Pipe | 4 | N/C |
| 107 | 28 | 36° Source Four | 575 | DCL Spec | Apron Pipe | 5 | N/C |
| 108 | 17 | 36° Source Four | 575 | DC Spec | Apron Pipe | 7 | N/C |
| 109 | 19 | 36° Source Four | 575 | DCR Spec | Apron Pipe | 9 | N/C |
| 110 | 20 | 50° Source Four | 575 | SR Plat Spec | Apron Pipe | 10 | N/C |
| | | | | | | | |
| 111 | 44 | 26° Source Four | 575 | L Bx Spec | 1st Electric | 7 | N/C |
| 112 | 43 | 26° Source Four | 575 | CL Bx Spec | 1st Electric | 8 | N/C |
| 113 | 42 | 26° Source Four | 575 | C Bx Spec | 1st Electric | 10 | N/C |
| 114 | 41 | 26° Source Four | 575 | CR Bx Spec | 1st Electric | 11 | N/C |
| 115 | 40 | 26° Source Four | 575 | R Bx Spec | 1st Electric | 12 | N/C |
| | | | | | | | |
| 121 | 32 | 50° Source Four | 575 | SL Opera Box | Apron Pipe | 1 | N/C |
| 122 | 23 | 50° Source Four | 575 | SR Opera Box | Apron Pipe | 13 | N/C |
| | | | | | | | |
| 123 | 81 | 36° Source Four | 575 | UL Death Platform | 3rd Electric | 6 | N/C |
| 124 | 71 | 36° Source Four | 575 | UR Death Platform | 3rd Electric | 8 | N/C |
| 125 | 82 | 36° Source Four | 575 | Spinning Vortex of Death | 1st Electric | 14 | N/C |
| 126 | 201 | Twin Spin | - | Gobo Rotator | - | - | - |

Les Miserables

Diane K Baas

6

| | | | | Channel Hookup | | | |
|-----|-----|---------------------------|---|----------------|--------------|----|---|
| 201 | 51 | K9 Pup | - | SL LED DS | HR Box Boom | 6 | - |
| 202 | 564 | Red Dimming | | | | | |
| 203 | 565 | Green Dimming | | | | | |
| 204 | 566 | Blue Dimming | | | | | |
| 205 | 567 | Strobe intensity/speed | | | | | |
| 206 | 568 | Effects | | | | | |
| | | | | | | | |
| | | | | | | | |
| 211 | 61 | K9 Pup | - | SL LED MS | 1st Electric | 5 | - |
| 212 | 574 | Red Dimming | | | | | |
| 213 | 575 | Green Dimming | | | | | |
| 214 | 576 | Blue Dimming | | | | | |
| 215 | 577 | Strobe intensity/speed | | | | | |
| 216 | 578 | Effects | | | | | |
| 217 | | | | | | | |
| | | | | | | | |
| 221 | 101 | K9 Pup | - | SL LED US | 2nd Electric | 3 | - |
| 222 | 624 | Red Dimming | | | | | |
| 223 | 625 | Green Dimming | | | | | |
| 224 | 626 | Blue Dimming | | | | | |
| 225 | 627 | Strobe intensity/speed | | | | | |
| 226 | 628 | Effects | | | | | |
| | | | | | | | |
| | | | | | | | |
| 231 | 81 | K9 Pup | - | SR LED DS | HL Box Boom | 6 | - |
| 232 | 604 | Red Dimming | | | | | |
| 233 | 605 | Green Dimming | | | | | |
| 234 | 606 | Blue Dimming | | | | | |
| 235 | 607 | Strobe intensity/speed | | | | | |
| 236 | 608 | Effects | | | | | |
| | | | | | | | |
| | | | | | | | |
| 241 | 71 | K9 Pup | - | SR LED MS | 1st Electric | 14 | - |
| 242 | 594 | Red Dimming | | | | | |
| 243 | 595 | Green Dimming | | | | | |
| 244 | 596 | Blue Dimming | | | | | |
| 245 | 597 | Strobe intensity/speed | | | | | |
| 246 | 598 | Effects | | | | | |
| | | | | | | | |
| | | | | | | | |
| 251 | 91 | K9 Pup | - | SR LED US | 2nd Electric | 23 | - |
| 252 | 614 | Red Dimming | | | | | |
| 253 | 615 | Green Dimming | | | | | |
| 254 | 616 | Blue Dimming | | | | | |
| 255 | 617 | Strobe intensity/speed | | | | | |
| 256 | 618 | Effects | | | | | |

| | | | | | | | |
|-----|-----|----------------------------|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| - | - | - | - | - | - | - | - |
| | | | | | | | |
| 301 | 513 | Curtain- Color Strobe | | | | | |
| 302 | 514 | Curtain- Flicker | | | | | |
| 303 | 515 | Curtain- Shutter Strobe | | | | | |
| 304 | 516 | Curtain- Intensity | | | | | |
| 305 | 517 | Curtain-? | | | | | |
| 306 | 518 | Curtain-? | | | | | |
| 307 | 519 | Curtain-? | | | | | |
| | | | | | | | |
| 311 | 520 | Curtain- Color Strobe | | | | | |
| 312 | 521 | Curtain- Flicker | | | | | |
| 313 | 522 | Curtain- Shutter Strobe | | | | | |
| 314 | 523 | Curtain- Intensity | | | | | |
| 315 | 524 | Curtain-? | | | | | |
| 316 | 525 | Curtain-? | | | | | |
| 317 | 526 | Curtain-? | | | | | |
| | | | | | | | |
| 321 | 527 | Curtain- Color Strobe | | | | | |
| 322 | 528 | Curtain- Flicker | | | | | |
| 323 | 529 | Curtain- Shutter Strobe | | | | | |
| 324 | 530 | Curtain- Intensity | | | | | |
| 325 | 531 | Curtain-? | | | | | |
| 326 | 532 | Curtain-? | | | | | |
| 327 | 533 | Curtain-? | | | | | |
| | | | | | | | |
| 331 | 534 | Curtain- Color Strobe | | | | | |
| 332 | 535 | Curtain- Flicker | | | | | |
| 333 | 536 | Curtain- Shutter Strobe | | | | | |
| 334 | 537 | Curtain- Intensity | | | | | |
| 335 | 538 | Curtain-? | | | | | |
| 336 | 539 | Curtain-? | | | | | |
| 337 | 540 | Curtain-? | | | | | |
| | | | | | | | |
| 341 | 541 | Curtain- Color Strobe | | | | | |
| 342 | 542 | Curtain- Flicker | | | | | |
| 343 | 543 | Curtain- Shutter Strobe | | | | | |
| 344 | 544 | Curtain- Intensity | | | | | |
| 345 | 545 | Curtain-? | | | | | |
| 346 | 546 | Curtain-? | | | | | |

Les Miserables
Channel Hookup

Diane K Baas
8

| | | | | | | | |
|-----|-----|----------------------------|--|--|--|--|--|
| 347 | 547 | Curtain-? | | | | | |
| | | | | | | | |
| 351 | 548 | Curtain- Color Strobe | | | | | |
| 352 | 549 | Curtain- Flicker | | | | | |
| 353 | 550 | Curtain- Shutter Strobe | | | | | |
| 354 | 551 | Curtain- Intensity | | | | | |
| 355 | 552 | Curtain-? | | | | | |
| 356 | 553 | Curtain-? | | | | | |
| 357 | 554 | Curtain-? | | | | | |
| | | | | | | | |
| | 112 | Hazer | | | | | |